

Basic properties

Total weight (DIN ISO 2286/2 1998)

610 g/m²

Composition

Polyester + PVC

Aspect embossing

Dull

Key features

Flame retardant, Anti-bacteria treated, UV treated

Composition

Fabric

Warp (DIN ISO 2075 • DIN ISO 2060)

Polyester, 1100 dtex

Weft (DIN ISO 2075 • DIN ISO 2060)

Polyester, 1100 dtex

Coating

Top: PVC


Bottom: PVC

Lacquering

Top: dull

Bottom: low-E

SIOEN



NEW - B8195

TENT AND PERGOLA

Ideal use: Tent

610 g/m² backside Low-E anti-bacteria treated, UV stabilised and flame retardant (ADR classe II) technical textile for tents and shading. The low-E side is an excellent barrier, preventing heat losses from the inside and preventing heat radiation to pass from the outside.



Basic properties

Total weight (DIN ISO 2286/2 1998)

610 g/m²

Composition

Polyester + PVC

Aspect embossing

Dull

Key features

Flame retardant, Anti-bacteria treated, UV treated

Composition

Fabric

Warp (DIN ISO 2075 • DIN ISO 2060)

Polyester, 1100 dtex

Weft (DIN ISO 2075 • DIN ISO 2060)

Polyester, 1100 dtex

Coating

Top: PVC

Bottom: PVC

Lacquering

Top: dull

Bottom: low-E

Sample



Get Inspired:
<https://sio.to/avch9>



Technical specifications

Emissivity	back side 0,34 max	
Breaking strength Warp	2500 N/5cm	EN ISO 1421/1 1998
Breaking strength Weft	2300 N/5cm	EN ISO 1421/1 1998
Tear strength Warp	270 N	DIN 53363 2003
Tear strength Weft	270 N	DIN 53363 2003
Adhesion	90 N/5cm	EN ISO 2411 2000
Temperature resistance	-30/+70 °C	DIN EN 1876/2 1998
Light fastness (Except white and (half-)transparent)	7-8	ISO 105 B02 2014
Fire behaviour	ADR classe II	UNI 8456 - UNI 9174

Colour

Other colours and width on request.



6360* - Green

250 cm - Not Standard

* Min. order 1000 lm

Sioen technical textiles for tent and pergola

Discover our extensive portfolio "Tent and Pergola" materials. This includes flame retardant coated technical textiles for tents, block outs, lightweight inner membrane with excellent translucency, special drop-stop material, many types of tent roofing materials and technical textiles for pergolas.

Our tent materials are available in a FR (flame retardant) and non FR version, opaque (reduced transparency) and super opaque, protecting against extreme weather conditions, anti-bacterial treated and UV stabilised.

Our standard range contains stocked items in many colours, weights and widths. Discover our dual coloured, lightweight printable, our inner membrane and outer membranes and other professional technical textiles for temporary tents and structures. Our blackout (or superopaque) material prevents light from penetrating. This material is suited for temporary structures and tents for storage or sun shading.

Our range also includes lightweight materials (up to 550 grams) for sidewalls of tents and temporary structures and canopies. Our technical textiles for pergolas are specially embossed in textile touch and in a 3D cube embossing. New in our range are lightweight textiles for rapid deployable tents and a Low E (emissivity) quality for tents and halls. In addition, our fast runner B8103 for tents, now also is available in low wick version.

More information:

www.sioentechnicaltextiles.com



SIOEN

ТД "Технический Текстиль"
+7 (499) 288 77 10 / www.ttex.ru

Textile Solution Provider - Go to www.sioen.com for more information.

Fabriekstraat 23 - 8850 Ardooie - Belgium - +32 (0) 51 740 900 - +32 (0) 51 740 964 - info@sioen.com - www.sioen.com